

# Delock External Enclosure 2 x M.2 Key B SSD > USB 3.1 Gen 2 USB Type-C™ female with RAID

#### **Description**

The aluminium enclosure by Delock enables the installation of two M.2 SSD in 2280, 2260, 2242 and 2230 format, which can be connected via USB to the PC or laptop. When using more than one SSD, there is the possibility to use different RAID level.



#### Item no. 42589

EAN: 4043619425891 Country of origin: China Package: Retail Box

#### **Specification**

- Connectors:
  - external: 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female
- internal: 2 x 67 pin M.2 key B slot
- Chipset: Asmedia ASM1352R
- Supports M.2 modules in format 2280, 2260 and 2242 with key B based on SATA
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Data transfer rate up to 6 Gbps
- Supports RAID 0, RAID 1, JBOD, Port Multiplier
- LED indicator for RAID mode
- 1 x button for RAID setting
- Compliant with USB Attached SCSI Protocol (UASP) Rev. 1.0
- · Hot Plug, Plug & Play
- Colour: grey
- Dimensions (LxWxH): ca. 125 x 77 x 15.5 mm

# System requirements





- Linux Kernel 4.2 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

#### **Package content**

- External enclosure
- Screws
- Cable USB-C™ male to USB Type-A male, length ca. 50 cm
- User manual

#### **Images**









#### General

| Function:                                       | Hot Plug Plug & Play   |
|---|--|
| Supported operating system:                     | Linux Kernel 4.2 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |
| Supported module:                               | M.2 modules in format 2280, 2260 and 2242 with key B or key B+M based on SATA  |
| Maximum height of the components on the module: | 1.5 mm application of double-sided assembled modules supported   |

## Interface

| External: | 1 x USB 10 Gbps USB Type-C™ female |
|-----------|------------------------------------|
| Internal: | 2 x 67 pin M.2 key B slot          |

## **Technical characteristics**

| Data transfer rate: | 6 Gb/s                   |
|---------------------|--------------------------|
| RAID function:      | JBOD 0 1 Port Multiplier |

# **Physical characteristics**

| Housing material: | Aluminium |
|-------------------|-----------|
| Length:           | 125 mm    |
| Width:            | 77 mm     |
| Height:           | 15.5 mm   |





| Colour: | grey |
|---------|------|
|         |      |

