



Delock LTE / GSM / UMTS Antenna SMA plug 3 dBi fixed omnidirectional with magnetic base and connection cable RG-174 2 m outdoor black

Description

This antenna by Delock allows the usage of different LTE, GSM and UMTS bands inside and outside. It is completely compatible to Bluetooth, WLAN 2.4 GHz, ZigBee, DECT, Z-Wave and LoRa 868 MHz / 915 MHz.



Item no. 12416

EAN: 4043619124169 Country of origin: Taiwan, Republic of China

Package: Poly bag

Specification

Connector: 1 x SMA plug

Frequency range: 800 - 960 MHz

1710 - 2700 MHz

 GSM, UMTS, Bluetooth, WLAN 2.4 GHz, ZigBee, DECT, Z-Wave, LoRa 868 MHz / 915 MHz

Antenna gain: 3 dBi

• Impedance: 50 Ohm

· Polarisation: vertical

• VSWR: 2.0

Operating temperature: -30 °C ~ 70 °C

· Colour: black

• Antenna length including magnetic base: ca. 88.7 mm

· Cable: coaxial

Cable type: RG-174Cable colour: black

DATASHEET



- Cable loss: 1.5 dB @ 1.5 GHz per meter
- Cable diameter: ca. 2.7 mm
- Cable length incl. connector: ca. 2 m
- Diameter magnetic base: ca. 29.0 mm

System requirements


• Device with a free SMA jack

Package content

Antenna



Images







General

Mounting type:	magnetic
Suitable for indoor:	yes
Suitable for outdoor:	yes

Interface

1 x SMA plug connector:

Technical characteristics

Frequency range:	1710 - 2700 MHz 800 - 960 MHz
Antenna gain:	3 dBi
Gain:	0 - 3 dBi
Impedance:	50 Ω
Operating temperature:	-30 °C ~ 70 °C
Polarisation:	vertical
VSWR:	2.0

Physical characteristics

Antenna type:	omnidirectional
Antenna length incl. magnetic base:	88.7 mm
Diameter magnetical base:	29 mm
Height magnetical base:	18.7 mm
Cable category:	coaxial
Cable type:	RG-174
Cable attenuation:	1.5 dB @ 1.5 GHz per meter
Cable colour:	black





Cable length incl. connector:	2 m
Connector finishing:	gold-plated
Colour:	black