



Delock Antenna Cable N plug > RP-SMA plug CFD400 LLC400 10 m low loss

Description

This high-quality coaxial cable ensures a reliable connection of components of the radio frequency technology. It is characterised by a **very low attenuation**. Thanks to the **waterproof** N connector, this cable is ideal for outdoor use.



Item no. 13028

EAN: 4043619130283 Country of origin: Taiwan, Republic of China

Package: Box

Specification

• Connectors:

1 x N plug waterproof >

1 x RP-SMA plug

• Impedance: 50 Ohm

• Cable type: CFD400, LLC400

• Cable type: coaxial

Cable attenuation:

0.3 dB @ 3.0 GHz per meter 0.48 dB @ 6.0 GHz per meter

• Cable diameter: ca. 10.5 mm

• Smallest bending radius: 51.5 mm

Cable colour: black

• Length incl. connectors (L): ca. 10 m

System requirements

• Device with one free N and RP-SMA port




Package content

• Antenna cable

Images







Interface

| Connector 1: | 1 x RP-SMA plug |
|--------------|-----------------|
| Connector 2: | 1 x N male |

Technical characteristics

Physical characteristics

| Cable type: | CFD400, LLC400 |
|--------------------------|--|
| Cable attenuation: | 0.30 dB @ 3.0 GHz 0.48 dB @ 6.0 GHz |
| Cable colour: | black |
| Cable length: | 10 m |
| Smallest bending radius: | 51.5 mm |