

Delock HDMI Splitter 1 x HDMI in to 2 x HDMI out 4K 60 Hz with downscaler

Description


This splitter by Delock receives an HDMI signal from a PC or laptop and splits it to two connected displays. Thereby one HDMI connection can be used to operate two HDMI monitors.

Downscaler

If a monitor does not support the high resolution, the image can be scaled from 4K to 1080p with the integrated downscaler.

USB powered

The device is powered via a USB port, a suitable USB cable is included. If no free USB-A port is available, an optional external power supply is required.



Item no. 18650

EAN: 4043619186501

Country of origin: China

Package: Retail Box

Specification

- Connectors:
Input:
1 x HDMI-A male
1 x USB Type Micro-B female (5 V power supply)
Output:
2 x HDMI-A female
- High Speed HDMI specification
- Supports 3D displays
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Function: Mirrored
- Transmission of audio and video signals
- Supports all common 2.0 and 5.1 audio formats: LPCM, Dolby Digital, DTS Audio
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 600 MHz / 6 Gbps per channel, max. 18 Gbps
- Power consumption: max. 2.5 W
- Colour: black
- Dimensions (LxWxH): ca. 65 x 55 x 20 mm
- Cable length without connectors: ca. 60 cm

System requirements

- HDMI cable
- Power source with a free USB Type-A female port

Package content

- HDMI Splitter
- USB power cable, length: ca. 0.75 m
- User manual

Images



General

Specification:	High Speed HDMI HDCP 1.4 HDCP 2.2
----------------	---

Interface

Output:	2 x HDMI-A female
Input:	1 x USB Type Micro-B female (5 V power supply) 1 x HDMI-A male

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
Video bandwidth:	600 MHz / 6 Gbps

Physical characteristics

Housing colour:	black
Housing material:	Plastic
Cable length:	60 cm
Length:	65 mm
Width:	55 mm
Height:	20 mm