

# Delock HDMI UHD Splitter 1 x HDMI in > 2 x HDMI out 4K

## Description

This splitter by Delock receives an HDMI signal from a PC or laptop and splits it to two connected displays. Thereby one HDMI connection can be used to operate two HDMI monitors.



**Item no. 18682**

EAN: 4043619186822

Country of origin: China

Package: Retail Box

## Specification

- Connectors:  
Input:  
1 x HDMI-A 19 pin female  
1 x DC 5 V power connector  
Output:  
2 x HDMI-A 19 pin female
- High Speed HDMI specification
- Supports 3D displays
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Reset button
- LED indicator
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 600 MHz / 6 Gbps per channel, max. 18 Gbps
- Power consumption: max. 2.4 W
- Metal housing
- Colour: black
- Dimensions (LxWxH): ca. 80 x 51 x 20 mm

---

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.3 A
- Output: 5 V / 1 A
- Ground outside, plus inside
- Dimensions:
  - inside: ø ca. 2.1 mm
  - outside: ø ca. 5.5 mm
  - length: ca. 9 mm

---

## System requirements

- One free HDMI female
- HDMI cable

---

## Package content

- HDMI Splitter
- USB power cable, length: ca. 0.5 m
- External power supply
- User manual

---

## Images



## General

Specification:	High Speed HDMI HDCP 1.4 HDCP 2.2
----------------	---

## Interface

Output:	2 x HDMI-A female
Input:	1 x HDMI-A female 1 x 5 V DC female 5,5 mm x 2,1 mm

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
Video bandwidth:	600 MHz / 6 Gbps

## Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	80 mm
Width:	51 mm
Height:	20 mm

## Power supply

Type:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.5 A
Output:	5 V / 2 A
Connector:	DC male 5.5 mm x 2.1 mm
Cable length:	1 m