

# Delock HDMI UHD Switch 5 x HDMI in > 1 x HDMI out 4K

## Description

With this Delock HDMI switch up to five HDMI devices can be used with one HDMI monitor, TV or beamer. With the button on the device or the remote control you can switch between the HDMI devices.



#### Item no. 18685

EAN: 4043619186853 Country of origin: China Package: Retail Box

## Specification

- Connectors: Input: 5 x HDMI-A 19 pin female 1 x DC 5 V power connector Output: 1 x HDMI-A 19 pin female
  HDMI port switching: automatic function, via button or via infrared remote control
  LED indicators for active HDMI port
- High Speed HDMI specification
- Supports 3D displays
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Supports CEC
- Supports a resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 600 MHz / 6 Gbps, 18 Gb/s max.
- Power consumption: max. 2.0 W
- Metal housing
- Colour: black

#### **DATASHEET**



• Dimensions (LxWxH): ca. 123 x 51 x 20 mm

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.3 A
- Output: 5 V / 1 A
- Ground outside, plus inside
- Dimensions: inside: ø ca. 2.1 mm outside: ø ca. 5.5 mm length: ca. 9 mm

#### System requirements

- A free HDMI female port
- HDMI cable

## Package content

- HDMI switch
- Remote control
- USB power cable, length: ca. 0.5 m
- External power supply
- User manual

#### Images





#### General

Specification:	High Speed HDMI HDCP 2.2
----------------	-----------------------------

#### Interface

Output:	1 x HDMI-A female
Input:	1 x 5 V DC female 5,5 mm x 2,1 mm 5 x HDMI-A female

# **Technical characteristics**

m screen resolution: 3840 x 2160 @ 60 Hz
--

# **Physical characteristics**

Housing colour:	black
Housing material:	metal
Length:	80 mm
Width:	51 mm
Height:	20 mm

## **Power supply**

Туре:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.5 A
Output:	5 V / 2 A
Connector:	DC male 5.5 mm x 2.1 mm
Cable length:	1 m