

# Delock DL4 Solar Connectors 1 x male to 2 x female

## Description

This DL4 solar connectors by Delock can be used to transmit power obtained from a photovoltaic system.

#### **DL4 connectors**

The DL4 plugs and sockets have a snap-in function, which avoids unwanted interruptions and ensures a secure connection. The connection can be released again with the appropriate tool.

#### IP67 dust and waterproof

The DL4 solar connector is protected from dirt and moisture.



#### Item no. 60022

EAN: 4043619600229 Country of origin: China Package: Zip poly bag

### **Specification**

- Connectors:
  - 1 x DL4 male
  - 2 x DL4 female
- Cable cross section: ca. 2.5, 4, 6 mm<sup>2</sup>
- Compatible with MC4, TS4, QC4
- Operating temperature: -40 °C ~ 85 °C
- Protection class: IP67
- Voltage: max. 1000 V
- Colour: black
- Dimensions (LxWxH): ca. 10.4 x 3.9 x 1.8 cm

### System requirements

• Free DL4 ports

### Package content

DL4 solar connector





Images







### Interface

| Connector 1: | 1 x DL4 male   |
|--------------|----------------|
| Connector 2: | 2 x DL4 female |

## **Technical characteristics**

| Maltana  | 1000 V |
|----------|--------|
| Voltade: |        |
|          |        |
|          |        |

## **Physical characteristics**

| Length: | 104 mm |
|---------|--------|
| Width:  | 39 mm  |
| Height: | 18 mm  |
| Colour: | black  |