

Delock Conduit Fitting with brass external thread M32 black 2 pieces

Description

This conduit fitting by Delock can be used for easy mounting on corrugated protective conduits. The fitting has a high level of sealing, tensile strength and resilience. In combination with the Delock protective conduit 60460, it provides a secure and firm hold.

IP68 dust and waterproof

The fitting also offers increased protection against dirt and moisture.

Multifunctional application

Due to the robust design, conduit fittings are often used in installations, automation and machine systems.

Note

The fitting is suitable for the Delock protective conduit 60460.



2 x

Item no. 60456

EAN: 4043619604562

Country of origin: China

Package: Poly bag

Specification

- Thread size: M32
- Thread length: 14.0 mm
- Thread diameter: ca. 40.0 mm
- Spanner width: 36.0 mm
- Inner diameter: ca. 28.5 mm
- Outer diameter: ca. 49.0 mm
- Protection class: IP68
- Operating temperature: -40 °C ~ 125 °C
- Material: plastic / brass
- Colour: black

Package content

- 2 x conduit fitting

Images



Technical characteristics

| | |
|------------------------|-----------------|
| Operating temperature: | -40 °C ~ 125 °C |
|------------------------|-----------------|

Physical characteristics

| | |
|----------------|-----------------|
| Thread length: | 14.0 mm |
| Material: | plastic / brass |
| Colour: | black |
| Thread type: | M20 |