

Delock M12 T-Splitter A-coded 4 pin 1 x male to 1 x male und 1 x female parallel connection

Description

This industrial T-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



Item no. 60580

EAN: 4043619605804

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M12 A-coded 4 pin male
 - 1 x M12 A-coded 4 pin male + 1 x M12 A-coded 4 pin female
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 51 x 37 x 15 mm


System requirements

- A free M12 male port
- Two free M12 female ports

Package content

- T-splitter

Images



Interface

Connector 1:	1 x M12 plug
Connector 2:	1 x M12 female 1 x M12 plug

Technical characteristics

Operating voltage:	250 V
Current consumption:	4 A

Physical characteristics

Housing material:	PVC
Length:	51 mm
Width:	37 mm
Height:	15 mm
Colour:	black
Thread type:	M12