

Delock Adapter DisplayPort female to USB Type-C[™] male (DP Alt Mode) 4K with PD 85 W

Description

This adapter by Delock enables the connection of a **USB Type-C™** (DisplayPort Alternate Mode) monitor to a free DisplayPort interface of a PC or laptop.

Ideal for portable USB-C[™] monitor

The adapter allows the connection of a **portable monitor** to an DisplayPort interface and power the monitor at the same time. Therefor it is required to connect a power supply to the adapter, which corresponds to the input power of the monitor.

USB Power Delivery (USB PD 3.0) support up to 85 watt

The adapter has a **USB Type-C[™] Power Delivery port**. If a power supply is connected to this port, the device which is connected to the USB-C[™] male port will be charged with up to 85 watts during operation.



Item no. 61059

EAN: 4043619610594 Country of origin: China Package: Retail Box

Specification

Connectors:

Input:

- 1 x DisplayPort female
- 1 x USB Type-C[™] female (power supply)
- Output: 1 x USB Type-C[™] male
- DisplayPort 1.2 specification
- Signal direction: DisplayPort input > USB Type-C[™] output
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports HDCP 1.4 and 2.3
- Colour: black
- Cable length without connectors: ca. 15 cm





System requirements

- A free DisplayPort connector
- Monitor with a free USB Type-C[™] (DP Alt Mode) interface
- Power supply

Package content

- Adapter DisplayPort to USB Type-C[™]
- User manual

Images







Interface

| Output: | 1 x USB Type-C™ male |
|---------|---|
| Input: | 1 x USB Type-C™ female (power supply) 1 x DisplayPort female |

Technical characteristics

| Maximum screen resolution: 3840 x 2160 @ 60 Hz |
|--|
|--|

Physical characteristics

| Cable length: | 15 cm |
|---------------|-------|
| Colour: | black |