


Delock Converter Slim SATA 13 pin male > IDE 44 pin male

Description

This Delock converter enables the connection of a Slim SATA drive to an IDE 44 pin interface.



Item no. 62687

EAN: 4043619626878

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Specification

- Connector:
1 x Slim SATA 3 Gb/s 13 pin male >
1 x IDE 44 pin male
- Chipset: Marvell 88SA8052
- Ultra ATA/133 Parallel interface
- Jumper for selecting Master / Slave and Cable Select
- Supports PIO and UDMA modes
- Supports SATA drives like CD-ROM, DVD-ROM, Blu-Ray etc.
- Dimensions (LxWxH): ca. 102 x 15 x 13 mm
- OS independent, no driver installation necessary

System requirements

- A free Slim SATA 13 pin female port

Package content

- Converter Slim SATA > IDE
- Screws
- User manual

Images



General

Supported operating system:	OS independent, no driver installation necessary
-----------------------------	--

Interface

Connector 1:	1 x Slim SATA 3 Gb/s 13 pin plug
Connector 2:	1 x IDE 44 pin male

Technical characteristics

Chipset:	Marvell 88SA8052
Jumper:	selecting Master / Slave and Cable Select

Physical characteristics

Length:	102 mm
Width:	15 mm
Height:	13 mm