DELOCK®
we move the world

Delock 3.5″ Front Panel > 2 x USB 3.0 + 2 x USB 2.0

Description

This front panel by Delock can be installed into a free 3.5″ bay of a computer. It has two USB 3.0 and two USB 2.0 ports. It will be connected to the motherboard internally via two pin header male ports.

Item no. 62701

EAN: 4043619627011
Country of origin: China
Package: Retail Box

Specification

- Connector:
  external:
  2 x USB 3.0 Type-A female
  2 x USB 2.0 Type-A female
  internal:
  1 x 19 pin USB 3.0 pin header female port on the cable
  1 x 9 pin USB 2.0 pin header male
  1 x 4 pin power connector
- Data transfer rate up to:
  SuperSpeed 5 Gbps,
  Hi-Speed 480 Mbps,
  Full-Speed 12 Mbps,
  Low-Speed 1.5 Mbps
- Cable data:
  1 x 19 pin USB 3.0 pin header female cable ca. 60 cm (incl. connector)
  1 x 9 pin USB 2.0 pin header female cable ca. 62 cm (incl. connector)
- 3.5″ metal frame
- Colour: black
- Hot Swap, Plug & Play
- OS independent, no driver installation necessary

System requirements

- PC with one free 3.5″ bay
- Mainboard with a free 19 pin USB 3.0 pin header male
- Mainboard with a free 9 pin USB 2.0 pin header male
- Power supply with a free 4 pin power connector

Package content

- 3.5″ front panel
- USB 2.0 pin header female cable
- Screws
- User manual

Images

© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.tragant.de
62701

2 / 3
20.10.2016

General

Form factor:	3.5"
Function:	Hot Swap Plug & Play
Supported operating system:	OS independent, no driver installation necessary

Interface

External:	2 x USB 2.0 Type-A female 2 x USB 5 Gbps Type-A female
Internal:	1 x 19 pin USB 5 Gbps pin header female 1 x 4 pin power connector 1 x 9 pin USB 2.0 pin header male

Technical characteristics

Data transfer rate:	USB 5 Gbps up to 5 Gb/s USB 2.0 up to 480 Mb/s

Physical characteristics

Housing material:	metal
Colour:	black