


# Delock Adapter SFF-8643 > PCIe x4 with fixing plate

## Description

This Delock adapter can be connected via SFF-8643 interface to the system and provides a PCI Express x4 NVMe slot. To this slot e.g. PCI Express cards with M.2 slot for M.2 PCIe modules can be connected.



### Item no. 62788

EAN: 4043619627882

Country of origin: Taiwan,  
Republic of China

Package: White Box

## Specification

- Connector:
  - 1 x SFF-8643 >
  - 1 x PCI Express x4, V3.0
  - 1 x 4 pin power connector
- Bootable, from UEFI version 2.3.1
- Supports NVM Express (NVMe)
- Maximum output current: 4 A
- Output voltage: 3.3 V
- Short circuit protection, over heating protection
- ESD protection up to 2 kV
- Dimensions (LxWxH):
  - adapter: ca. 85 x 45 x 15 mm
  - fixing plate: ca. 95 x 70 x 10 mm





## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 3.10 / Kernel 4.x.x
- A free SFF-8643 interface

## Package content

- Adapter
- Fixing plate
- Screws and spacer
- User manual

## Images



## General

Protection:	Short circuit protection Overheating protection
-------------	--

## Interface

Connector 1:	1 x SFF-8643 female
Connector 2:	1 x PCI Express x4, V3.0
connector 3:	1 x 4 pin power connector