


Delock Converter Raspberry Pi USB Micro-B female / USB pin header > 1 x SDXC slot

Description

This converter board by Delock expands the Raspberry Pi via the Micro USB port or the USB pin header by one SDXC slot.



Item no. 62840

EAN: 4043619628407

Country of origin: Taiwan,
Republic of China

Package: Retail Box

Specification

- Connector:
 - 1 x USB 2.0 Type Micro-B female
 - 1 x 5 pin USB 2.0 pin header (4 pins connected), pitch: 2.54 mm
 - 1 x SDXC slot
- Chipset: Alcor Micro
- Supports following memory cards:
 - SD, SDHC, SDXC, Mini SD*, Mini SDHC*, Micro SDHC*, Micro SDXC*, T-Flash*
 - * with Adapter (Adapter not included in the package content)
- Supports memory:
 - up to 2 TB
 - SD 3.0
 - Class 2 / 4 / 6 / 10 and UHS-I
 - file system FAT / FAT32 / exFAT / NTFS
- Compliant with OHCI 1.0a and EHCI 0.95
- LED on board for SD access
- Dimensions (LxWxH): ca. 65 x 56 x 4 mm
- OS independent, no driver installation necessary


System requirements

- A free USB port
- USB connection cables

Package content

- Converter
- 4 x screw
- 4 x nut
- 4 x standoff
- User manual

Images



General

| | |
|-----------------------------|--|
| Supported operating system: | OS independent, no driver installation necessary |
| Supported memory card: | SD SDHC SDXC |

Interface

| | |
|--------------|---|
| Connector 1: | 1 x USB 2.0 Type Micro-B female |
| Connector 2: | 1 x 5 pin USB 2.0 pin header (4 pins connected), pitch: 2.54 mm |
| connector 3: | 1 x SDXC slot |

Technical characteristics

| | |
|----------|-------------|
| Chipset: | Alcor Micro |
|----------|-------------|

Physical characteristics

| | |
|---------|-------|
| Length: | 65 mm |
| Width: | 56 mm |
| Height: | 4 mm |