


# Delock Converter M.2 Key B+M male > Hybrid 4 x SATA 7 pin male with RAID

## Description

This converter by Delock expands the system by four SATA ports. When using more than one SATA port, there is the possibility to use different RAID modes. The converter supports a hyperduo function. With this function it combines an SSD and an HDD to use the advantages of both data mediums, the speed of an SSD and the capacity of an HDD.



**Item no. 62850**

EAN: 4043619628506

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x 59 pin M.2 key B+M male >
  - 4 x SATA 6 Gb/s 7 pin plug
  - 1 x 2 pin pin header for LED
- Chipset: Marvell
- Interface: PCIe 2.0
- Form factor: M.2 3042
- Suitable for M.2 slot with key M or B+M based on PCIe
- Data transfer rate up to 6 Gb/s
- Supports Raid 0, 1, 10, JBOD, HyperDuo Virtual Disk (Safe/Capacity)
- Supports HDD and SSD
- Supports Native Command Queuing (NCQ)
- Bootable
- Dimensions (LxWxH): ca. 42 x 30 x 13 mm

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux Kernel 4.4
- One free M.2 key M slot



---

## Package content

- Converter
- Driver CD
- User manual

---

## Images



## General

Form factor:	M.2 3042
Function:	bootable
Supported operating system:	Linux Kernel 4.4 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Slot:	PCIe

## Interface

Connector 1:	1 x 59 pin M.2 key B+M male
Connector 2:	4 x SATA 6 Gb/s 7 pin plug
connector 3:	1 x 2 pin pin header for LED

## Technical characteristics

Data transfer rate:	6 Gb/s
RAID function:	JBOD 10 HyperDuo Virtual Disk 0 1

## Physical characteristics

Length:	42 mm
Width:	30 mm
Height:	13 mm