

# Delock Adapter USB Type-C™ > 1 x Serial DB9 RS-232 + Adapter DB25

## Description

This adapter by Delock enables the connection of a serial device via a USB Type-C™ port.



1,8 m

**Item no. 62904**

EAN: 4043619629046

Country of origin: China

Package: Retail Box

## Specification

- Connectors:  
Cable:  
1 x USB Type-C™ male >  
1 x serial RS-232 DB9 male with screws  
Adapter:  
1 x serial RS-232 DB9 female with nuts >  
1 x serial RS-232 DB25 male with screws
- Chipset: FTDI FT232RL
- Data transfer rate up to 1 Mb/s
- FIFO: 512 byte
- Cable length: ca. 1.8 m


## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64/11, Linux ex Kernel 2.6.31 / Kernel 4.x.x
- PC or laptop with a free USB Type-C™ or Thunderbolt™ 3 port

## Package content

- Adapter cable USB Type-C™ to 1 x serial
- Adapter DB9 to DB25
- Driver CD
- User manual

## Images



## General

|                             |                                                                                                                                                                                            |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Supported operating system: | Linux Kernel 2.6.38 or above<br>MAC OS 10.12.3<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Interface

|         |                            |
|---------|----------------------------|
| Output: | 1 x Serial RS-232 DB9 male |
| Input:  | 1 x USB Type-C™ male       |

## Technical characteristics

|                     |           |
|---------------------|-----------|
| Chipset:            | FTDI 232R |
| Data transfer rate: | 1 Mbps    |
| FIFO:               | 512 Byte  |

## Physical characteristics

|               |       |
|---------------|-------|
| Cable length: | 1.8 m |
|---------------|-------|