

# Delock Converter M.2 Key B+M male to 1 x RJ45 2.5 Gigabit LAN port horizontal

## Description

This converter by Delock expands the system by one RJ45 **2.5 Gigabit LAN** port.

#### NBASE-T for higher speed

Modern services and new technologies require higher bandwidths. **NBASE-T technology** enables speeds of 1 Gbps and 2.5 Gbps with conventional networking cables. The best possible transmission rate is set automatically.



#### Item no. 62985

EAN: 4043619629855 Country of origin: Taiwan, Republic of China Package: Retail Box

# Specification

- Connectors:

  x M.2 key B+M male
  x 2.5 Gigabit LAN RJ45 jack

  Chipset: Intel i225V
  Interface: PCIe 2.0
  Form factor: M.2 2280
  Suitable for M.2 slot with key M or B based on PCIe
- Data transfer rate: Ethernet up to 10 Mbps (Half/Full Duplex) Fast Ethernet up to 100 Mbps (Half/Full Duplex) Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex) NBASE-T with up to 2.5 Gbps
- Compatible with: IEEE 802.3: 10BASE-T IEEE 802.3u: 100BASE-TX IEEE 802.3ab: 1000BASE-T
- Supports PXE
- Supports 9k Jumbo Frames

### **DATASHEET**



- LED indicator for link and activity
- Dimensions (LxWxH): ca. 80 x 22 x 16 mm


### System requirements

- Linux Kernel 5.15 or above
- Windows 10/10-64/11
- A free M.2 key B or key M slot

### Package content

- Converter
- Screw
- User manual

#### Images



© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.



### General

Form factor:	M.2 2280
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 5.15 or above

## Interface

Connector 1:	1 x M.2 key B+M male
	1 x RJ45 jack

# **Technical characteristics**

Chipset:	Intel® i225
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 2.5 Gbps