

# Navilock Car charger 1 x USB Type-C™ + 1 x USB Type-A

## Description

This Navilock USB car charger can be used to charge two USB devices. One port is equipped with a USB Type-C™ connector, thereby supported devices can be charged with up to 3 A. The second port with a USB Type-A connector provides up to 1 A with intelligent charging technology for conventional devices.



**Item no. 63069**

EAN: 4043619630691

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x USB Type-C™ female
  - 1 x USB Type-A female
- Input: DC 12 ~ 24 V
- Output:
  - USB Type-C™ female: 5 V / 3.0 A, 9 V / 3.0 A, 12 V / 2.25 A
  - USB Type-A female: 5 V / 1.0 A
- Over load protection
- Over current protection
- Overheating protection
- Short circuit protection
- LED indicator
- Operating temperature: 0 °C ~ 40 °C
- Storage temperature: -20 °C ~ 85 °C
- Colour: black
- Dimensions (LxD): ca. 68.3 x 30.0 mm

## Package content

- Car charger

## Images



## Technical characteristics

|                        |                |
|------------------------|----------------|
| Storage temperature:   | -20 °C ~ 85 °C |
| Operating temperature: | 0 °C ~ 40 °C   |

## Physical characteristics

|                 |         |
|-----------------|---------|
| Housing colour: | black   |
| Diameter:       | 30.0 mm |
| Length:         | 68.3 mm |

## Power supply

|            |  |
|------------|--|
| Type:      | Car charger  |
| Input:     | DC 12 - 24 V   |
| Output:    | 5.0 V / 3.0 A<br>5 V / 1 A<br>9.0 V / 3.0 A<br>12 V / 2.25 A |
| Connector: | 1 x USB Type-A female<br>1 x USB Type-C™ female              |