

# Delock Adapter USB 2.0 Type-A male > 1 x Serial RS-232 RJ45 male 3.0 m blue

## Description

This USB 2.0 to RS-232 adapter by Delock is suitable for the console at CISCO routers, switches, access points and other compatible devices via PC or laptop.



### Item no. 63289

EAN: 4043619632893 Country of origin: China Package: Zip poly bag

## **Specification**

- Connectors:
  - 1 x USB 2.0 Type-A male
  - 1 x serial RS-232 RJ45 male
- Chipset: FTDI FT232RL
- Signals: CTS(1), DSR(2), RXD(3), GND(4), GND(5), TXD(6), DTR(7), RTS(8)
- Compatible with USB 3.0, USB 2.0, and USB 1.1 full speed 12 Mbps
- Data transfer rate up to 230.4 Kb/s
- Cable length: ca. 3.0 m
- Suitable for various compatible CISCO devices

#### System requirements


- Windows 7/7-64/8.1/8.1-64/10/10-64/11, Linux ex Kernel 2.6
- PC or laptop with a free USB Type-A port

## Package content



• USB 2.0 to 1 x serial adapter

## **Images**





#### General

| Function:                   | Plug & Play  |
|-----------------------------|--|
| Specification:              | RS-232 (EIA / TIA)<br>USB 1.1<br>USB 2.0   |
| Supported operating system: | Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

## Interface

| Connector 1: | 1 x USB 2.0 Type-A male |
|--------------|-------------------------|
| Connector 2: | 1 x RJ45 male           |

## **Technical characteristics**

| Chipset:            | FTDI FT232RL             |
|---------------------|--------------------------|
| Data transfer rate: | up to 230.4 Kb/s         |
| FIFO:               | 128 byte<br>256 Byte     |
| Data transmission:  | full duplex asynchronous |

## **Physical characteristics**

| Cable length incl. connector: | 3 m  |
|-------------------------------|------|
| Colour:                       | blue |