


Delock 2.5" Converter U.2 SFF-8639 to M.2 NVMe Key M - 7 mm height

Description

This converter by Delock enables the connection of a **M.2 SSD** in 2280 format. The converter can be installed into your system internally through the **U.2** 68 pin interface.



Item no. 63379

EAN: 4043619633791

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x U.2 SFF-8639 male
 - 1 x M.2 key M slot
- Interface: PCIe Rev. 3.0
- Supports M.2 modules in format 2280 with key M or key B+M based on PCIe (NVMe)
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Bootable
- Supports NVM Express (NVMe)
- Supports S.M.A.R.T.
- Supports TRIM
- Dimensions (LxWxH): ca. 100 x 70 x 7 mm

System requirements


- Linux Kernel 5.15 or above
- Windows 8.1/8.1-64/10/10-64/11

- A free U.2 SFF-8639 interface

Package content

- Converter
 - Screwdriver
 - User manual
-

Images



General

Form factor:	2.5"
Function:	Bootable, ex UEFI 2.3.1
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11 Linux Kernel 5.15 or above
Slot:	PCIe
Supported module:	Supports M.2 modules in format 2280 with key M or key B+M based on PCIe (NVMe)
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x U.2 SFF-8639 male
Connector 2:	1 x M.2 key M slot

Physical characteristics

Length:	100 mm
Width:	70 mm
Height:	7 mm
Colour:	black