

# Delock 3 Port USB 3.2 Gen 1 Hub + SD and Micro SD Card Reader with USB Type-C™ or USB Type-A connector

## Description

This solid USB hub by Delock with metal housing can be connected to a computer, laptop or mobile device via the **USB Type-A or USB-C™ interface**. Up to **3 USB devices** can be connected to the hub.

### Integrated Card Reader

In addition, the hub with integrated card reader expands a PC or laptop by an **SD and a Micro SD slot**.

### Extensive connectivity

Due to the specially designed adapter, the Delock hub can be quickly and easily connected to the USB Type-A socket. Thus, it can be easily connected to new devices with USB Type-C™ female and older devices that only have a USB Type-A connector. The **adapter is located directly on the cable** and therefore it cannot be lost.

### Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



**Item no. 63859**

EAN: 4043619638598

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male >
  - 3 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
  - 1 x SD slot
  - 1 x Micro SD slot
- Adapter:
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female >
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male
- Chipset: Genesys Logic GL3510, GL3224
- Data transfer rate up to:

SuperSpeed USB 5 Gbps,  
Hi-Speed 480 Mbps,  
Full-Speed 12 Mbps,  
Low-Speed 1.5 Mbps

- It can be used two memory cards at the same time
- Data can be exchanged directly between two connected memory cards
- The Card Reader supports following memory cards:
  1. Slot Secure Digital  
SD, SD3.0 UHS-I, SD High Capacity (SDHC), SD Ultra, SDHC Ultra, SDXC, MMC-I, MMC-II, MMC 4.0, Mini SD, Mini SDHC, MMCmobile, RS-MMC, RS-MMC 4.0
  2. Slot Micro Secure Digital  
Micro SD, Micro SDHC, Micro SDHC Ultra, T-Flash, MMCmicro
- 1 x LED indicator
- Robust metal housing
- Dimensions (LxWxH): ca. 84 x 23 x 18 mm
- Cable length incl. connector: ca. 20 cm
- Colour: black
- Plug & Play

---

## System requirements

- Chrome OS
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Linux Kernel 5.8 or above
- Mac OS 11.1 or above
- Windows 8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port or
- A free USB Type-A port

---

## Package content

- USB hub + card reader
- User manual

## Images



## General

|                             |  |
|-----------------------------|--|
| Function:                   | Plug & Play  |
| Supported operating system: | Chrome OS<br>Linux Kernel 5.8.0 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>iPad Pro (3rd Generation) or above<br>iPad Air (4th Generation) or above<br>Mac OS 11.1 or above |

## Interface

|              |  |
|--------------|--|
| Connector 1: | 1 x USB 5 Gbps USB Type-C™ male                  |
| Connector 2: | 3 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female |
| connector 3: | 1 x SD slot                                      |
| connector 4: | 1 x Micro SD Slot                                |

## Technical characteristics

|                     |  |
|---------------------|--|
| Chipset:            | Genesys Logic GL3224<br>Genesys Logic GL3510 |
| Data transfer rate: | 5 Gbps                                       |

## Physical characteristics

|               |       |
|---------------|-------|
| Cable length: | 20 cm |
| Length:       | 84 mm |
| Width:        | 23 mm |
| Height:       | 18 mm |
| Colour:       | black |