**DELOCK®**
we move the world

Delock M.2 Key M to 1 x OCuLink SFF-8612 Converter

Description

This converter by Delock expands the system by one SFF-8612 interface. It can be connected e.g. one SSD by using an optional cable. The converter transmits PCI Express signals using the NVMe protocol.

M.2

NVMe

Item no. 64040

EAN: 4043619640409

Country of origin: Taiwan, Republic of China

Package: Box

Specification

- Connectors:
  - 1 x 67 pin M.2 Key M male
  - 1 x OCuLink SFF-8612 female
- Interface: PCIe
- Form factor: M.2 2280
- Suitable for M.2 slot with key M based on PCIe
- Compatible to PCI Express V3.0
- Data transfer rate up to 32 Gbps
- Supports NVM Express (NVMe)
- Supports SFF-9402 for PCIe REFCLK
- Supports Intel IDF 2015 PCIe REFCLK

System requirements

- Linux Kernel 4.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- A free M.2 interface with key M

Package content

• Converter M.2 to SFF-8612
• Mounting material
• User manual

Images

© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.tragant.de
64040

2 / 3
31.01.2024

General

Form factor:	M.2 2280
Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 4.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Slot:	PCIe

Interface

Connector 1:	1 x 67 pin M.2 Key M male
Connector 2:	1 x OCuLink SFF-8612 female