

# Delock 3 Port USB 3.1 Gen 1 Hub with USB Type-C™ Connection and Gigabit LAN

## Description

The USB hub by Delock is the mobile companion for laptops or tablets with USB Type-C™ connection. Up to 2 **USB Type-A** devices and one **USB-C™** device can be connected to the hub.

### Integrated 10/100/1000 Mbps LAN interface

In addition, the hub with integrated **RJ45 Gigabit LAN** connection expands a PC or laptop by a network interface via the USB Type-C™ connection.

### Small sturdy helper

Due to its small dimensions and its **sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



**Item no. 64043**

EAN: 4043619640430

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
  - 2 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female
  - 1 x Gigabit LAN RJ45 jack
- Chipset: Genesys Logic GL3510, VIA VL160, Realtek RT8153
- Data transfer rate:
  - USB 3.0 up to 5 Gbps
  - Ethernet up to 10 Mbps (Half/Full Duplex)
  - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
  - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)
- Compatible with:
  - IEEE 802.3: 10BASE-T
  - IEEE 802.3u: 100BASE-TX
  - IEEE 802.3ab: 1000BASE-T
- Supports Auto MDI-X (automatic detection of standard or crossover network cable)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)

- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure flow control
- Supports 4k Jumbo Frames
- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Dimensions (LxWxH): ca. 54 x 54 x 13 mm
- Plug & Play

---

## System requirements

- Chrome OS
- Linux Kernel 4.9.4 or above
- Mac OS 10.13.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Laptop or tablet with a free USB Type-C™ or Thunderbolt™ 3 port

---

## Package content

- USB hub + LAN
- User manual

---

## Images



## Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	2 x USB 5 Gbps Type-A female
connector 3:	1 x USB 5 Gbps USB Type-C™ female
connector 4:	1 x Gigabit LAN RJ45 jack

## Technical characteristics

Chipset:	Realtek RTL8153 Genesys Logic GL3510 VIA VL160
----------	--

## Physical characteristics

Cable length incl. connector:	20 cm
Length:	54 mm
Width:	54 mm
Height:	13 mm