# Delock USB Type-C™ Docking Station for 2 x SATA HDD / SSD transparent

Description

This docking station by Delock enables an external connection of **two 2.5″ or 3.5″ SATA HDD or SSD** through the **USB-C™** interface. This solution does not require an external enclosure since the drive can just plug in directly into the docking station. The included USB Type-C™ to USB Type-A cable allows the connection to a free USB Type-A female port.

Transparent enclosure
The **sturdy, transparent plastic housing** provides a view inside.

Item no. 64090

EAN: 4043619640904
Country of origin: China
Package: Retail Box

Specification

- Connectors:
    1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female
    2 x SATA 6 Gb/s 22 pin receptacle
    1 x DC jack
- Chipset: JMicron JMS561U
- On / Off switch
- For 2.5″ and 3.5″ SATA HDD / SSD
- Suitable for all SATA HDDs up to SATA 6 Gb/s
- Data transfer rate up to 5 Gb/s
- LED indicator for power and access
- Transparent plastic housing
- Dimensions (LxWxH): ca. 142 x 75 x 58 mm
- Plug & Play

Power supply specification

- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1 A

- Output: 12 V / 3 A
- Ground outside, plus inside
- Dimensions:
  inside: ø ca. 2.0 mm
 outside: ø ca. 5.5 mm
  length: ca. 10 mm

System requirements

- Chrome OS 74.0 or above
- Linux Kernel 3.4 or above
- Mac OS 10.14.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- Docking station
- Cable USB-C™ male to USB Type-A male, length ca. 1 m
- External power supply 12 V / 3 A
- User manual

Images

© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.tragant.de
64090

2 / 3
19.03.2020

General

Function:	Plug & Play
Suitable for data medium:	2.5″ 3.5″ SSD or HDD
Supported operating system:	Chrome OS 74.0 or above Linux Kernel 3.4 or above Mac OS 10.14.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

External:	1 x DC jack 1 x USB 5 Gbps USB Type-C™ female
Internal:	2 x SATA 22 Pin Buchse

Technical characteristics

Chipset:	JMicron JMS561

Physical characteristics

Housing material:	Plastic
Cable length:	1 m
Length:	142 mm
Width:	75 mm
Height:	58 mm
Colour:	transparent