

# Delock Audio Adapter USB Type-C™ to Stereo Jack female and USB Type-C™ PD grey

## Description

This audio adapter by Delock enables the connection of earphones or speakers with stereo jack to devices with a USB Type-C™ port, such as a smartphone, MacBook or Chromebook.

### USB Type-C™ power delivery with PD 3.0

In addition, the connected device can be charged via the USB Type-C™ port. The maximum charging power is 20 V / 3 A (60 W). The device also supports the PD 3.0 standard.

## Note

- The USB Type-C™ interface of the device has to support the output of digital audio signals.
- If a mobile phone without PD function is connected, the audio and charging function are alternative, charging function takes the priority.
- If a mobile phone is connected which doesn't support Data Role Swap function, the audio may stop working when plugging the power adapter.
- If a mobile phone or laptop without Fast Role Swap function is connected, it can happen that audio playback is briefly interrupted. When the power supply is plugged in and out, it will continue again.



**Item no. 64113**

EAN: 4043619641130

Country of origin: China

Package: Box

## Specification

- Connectors:
  - 1 x USB Type-C™ male >
  - 1 x 3.5 mm 4 pin stereo jack female
  - 1 x USB Type-C™ female (PD)
- Signal-to-noise ratio (SNR): ca. 93 dB
- Sample rate: up to 32 Bit / 384 kHz

- Supports Digital Hi-Res Audio
- USB Power Delivery (PD) 3.0
- USB bus powered
- Plug & Play
- Dimensions (LxWxH): ca. 50 x 16 x 9 mm
- Colour: grey

---

## System requirements

- Android 10.0 or above
- Chrome OS 78.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.15.3 or above
- Windows 8.1/8.1-64/10/10-64
- Device with a free USB Type-C™ port
- Earphones or speaker with 3.5 mm stereo jack

---

## Package content

- Audio adapter

---

## Images



## Interface

Output:	1 x 3.5 mm 4 pin stereo jack female 1 x USB Type-C™ female (power supply)
Input:	1 x USB Type-C™ male

## Technical characteristics

Sample rate:	16 / 24 / 32 Bit, 44,1 / 48 / 96 / 192 / 384 kHz
Signal noise ratio (SNR):	93 dB

## Physical characteristics

Length:	50 mm
Width:	16 mm
Height:	9 mm
Colour:	grey