

# Delock 2 Port Tisch-Hub 2 x SuperSpeed USB Typ-A und Card Reader für SD und Micro

### Description

This hub by Delock can be installed into an existing cut-out of the desk with a **diameter of 60 mm** and can be connected to a computer via the USB Type-A interface. It expands the computer by **two USB Type-A ports and one SD and Micro SD slot**.

#### Cover cap and cable entry

The hub has a cover **cap** that protects the ports from dirt. In addition, a **cable entry** is available, whereby existing cables for e.g. mouse, keyboard and monitor can still be passed through the recess.



#### Item no. 64152

EAN: 4043619641529 Country of origin: China Package: Retail Box

## Specification

- Connectors: top side: 2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female 1 x SD slot 1 x Micro SD slot bottom side: 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male
  Chipset: VIA VL817, Alcor Micro AU6366
  Data transfer rate up to: SuperSpeed USB 5 Gbps, Hi-Speed 480 Mbps, Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- 1 x LED indicator
- Power supply: Bus-powered
- Mounting diameter: 60 mm
- Mounting depth: 43 mm
- Cable length: ca. 150 cm
- Plug & Play

#### **DATASHEET**



### System requirements

- Chrome OS
- Linux Kernel 5.8 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port
- 60 mm cut-out in the desk

#### Package content

- In-Desk Hub
- Cover cap
- User manual

#### Images



## **DATASHEET**



#### General

Function:	Plug & Play
Mounting type:	in-desk
Supported operating system:	Chrome OS Linux Kernel 5.8.0 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Mac OS 11.2.3 or above
LED indicator:	1 x

## Interface

Connector 1:	1 x USB 5 Gbps Type-A male
Connector 2:	2 x USB 5 Gbps Type-A female
connector 3:	1 x SD slot
connector 4:	1 x Micro SD Slot

# **Technical characteristics**

Chipset:	VIA VL817 Alcor Micro AU6366
Data transfer rate:	5 Gbps
Voltage:	USB bus powered

## **Physical characteristics**

Cable length:
---------------