


Delock Connector SATA with NSS function 90°

Description

This connector by Delock is suitable for SATA hard drives or SSDs. It can be integrated into a system, for example for using with mobile racks. The patented [NSS \(= Non Scratch SATA\) technology](#) has an integrated spring mechanism on one of the 22 pin sides, which ensures the ejection of the hard drive. Thus the hard drive must be secured in a frame, otherwise the connector would eject the hard drive promptly. Because of the NSS technology the connector is protected with every insert procedure, as it avoids the scratching of the contacts. The 22 pin connector will be soldered with 90° angle on the PCB.



Item no. 65693

EAN: 4043619656936

Country of origin: China

Package: Retail Box

Special features

- Spring mechanism (NSS)

Specification

- Connector:
1 x 22 pin SATA receptacle (NSS connector) >
solder connection 90°
- SMT PCB mounting
- Solder pin: Ø 0.4 mm
- Pitch distance: 1.27 mm
- Protects the SSD or HDD up to 50,000 plug cycles
- Dimensions (LxWxH): ca. 48.66 x 23.87 x 10.00 mm
- Colour: black

Package content

- Connector

Images



Anwendungsbeispiel

Interface

Connector 1:	1 x 22 pin SATA receptacle (NSS connector)
Connector 2:	solder connection 90°

Physical characteristics

Solder pin:	Ø 0.4 mm
Pitch distance:	1.27 mm
Length:	48.66 mm
Width:	23.87 mm
Height:	10 mm
Colour:	black