


# Delock Terminal block for PCB soldering version 3 pin 5.00 mm pitch vertical 10 pieces

## Description

This terminal block by Delock is suitable for the mounting on a PCB. This can be soldered on a board, to create a screw connection. Furthermore, data or power cables can be connected via the terminal block.



**Item no. 65997**

EAN: 4043619659975

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x 3 pin terminal block screw terminal
  - 1 x 3 soldering pin
- Pitch: 5.00 mm
- Environmental temperature: -40 °C ~ 105 °C
- Useable for a cable gauge from 20 to 14 AWG
- Withstanding voltage: AC 2000 V / 1 min
- Rated voltage according to: UL: 300 V, IEC: 250 V
- Rated current according to: UL: 10 A, IEC: 18 A
- Insulation resistance: 500 MΩ / DC 500 V
- Material: plastic
- Colour: green
- Dimensions (LxWxH): ca. 15.0 x 10.1 x 7.8 mm

## Package content

- 10 x Terminal block



## General

|                               |             |
|-------------------------------|-------------|
| Suitable for conductor gauge: | 20 - 14 AWG |
| Mounting type:                | Soldering   |

## Interface

|              |   |
|--------------|---|
| Connector 1: | 1 x 3 pin terminal block screw terminal |
| Connector 2: | 1 x 3 soldering pin                     |

## Technical characteristics

|                      |                   |
|----------------------|-------------------|
| Storage temperature: | -40 °C ~ 105 °C   |
| Resistor:            | 500 MΩ / DC 500 V |

## Physical characteristics

|                   |         |
|-------------------|---------|
| Pitch distance:   | 5 mm    |
| Housing material: | Plastic |
| Length:           | 15.0 mm |
| Width:            | 10,1 mm |
| Height:           | 7.8 mm  |
| Colour:           | green   |