

Delock Passive PoE Adapter Set RJ45 DC 5.5 x 2.5 mm

Description

With this adapter set by Delock a network cable can be used for a 10/100 Mbps Ethernet connection and the simultaneous transmission of power. This requires the two adapters to be connected to the cable. Then a DC socket and a plug are available on both sides, to connect a power supply.



Note

An adapter cannot be used alone; the second adapter is always required.

Item no. 66024

EAN: 4043619660247 Country of origin: China Package: Zip poly bag

Specification

• Connectors:

Input:

1 x RJ45 plug

1 x DC 5.5 x 2.5 mm female >

1 x RJ45 jack

Output:

1 x RJ45 jack >

1 x RJ45 plug

1 x DC 5.5 x 2.5 mm male

• Performance: 9 - 57 V, max. 800 mA

• Pin assignment:

1/2, 3/6 data

4/5(+), 7/8(-) power

- Unshielded (UTP)
- Cable length incl. connectors: ca. 21 cm

System requirements

Network cables



Package content

• Passive PoE adapter set



Interface

Output:

1 x RJ45 jack
1 x RJ45 male
1 x DC 5.5 x 2.1 mm male

Input:

1 x RJ45 jack
1 x DC 5.5 x 2.1 mm female
1 x DC 5.5 x 2.1 mm female
1 x RJ45 male

Technical characteristics

Data transfer rate: Ethernet up to 10 Mbps

Fast Ethernet up to 100 Mbps

Physical characteristics

Cable length incl. connector: 20 cm