# Delock Terminal block with push button for PCB 2 pin 2.54 mm pitch vertical 4 pieces

Description

This terminal block by Delock is suitable for the solder mounting on a PCB. Furthermore, data or power cables can be connected via the terminal block.

4 x

Item no. 66333

EAN: 4043619663330

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
  1 x 2 pin terminal block with push button
  2 x 2 soldering pin
- Pitch: 2.54 mm
- Environmental temperature: -40 °C ~ 105 °C
- Useable for a cable gauge from 24 to 20 AWG
- Withstanding voltage: AC 1250 V / 1 minute
- Rated voltage according to: UL: 150 V, IEC: 130 V
- Rated current according to: UL: 2 A, IEC: 6 A
- Material: plastic
- Colour: green / orange
- Dimensions (LxWxH): ca. 13.8 x 12.8 x 7.6 mm

Package content

- 4 x Terminal block

Images

General

Suitable for conductor gauge:	24 - 20 AWG

Interface

Connector 1:	1 x 2 pin terminal block with push button
Connector 2:	2 x 2 soldering pin

Technical characteristics

Storage temperature:	-40 °C ~ 105 °C

Physical characteristics

Pitch distance:	2.54 mm
Housing material:	Plastic
Length:	13.8 mm
Width:	12.8 mm
Height:	7.6 mm
Colour:	green / orange

© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.tragant.de
66333

3 / 3
11.10.2021