

# Delock DisplayPort 1.2 Adapter male to female port saver with pin 20

## Description

This DisplayPort adapter by Delock can be used for the connection of DisplayPort devices. It can be also connected to a free DisplayPort port in order to prevent the interface from damage when it is under usage for high contact durability. By connecting pin 20 a voltage transmission of 3.3 V is supported.



**Item no. 66639**

EAN: 4043619666393

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x DisplayPort 20 pin male >
  - 1 x DisplayPort 20 pin female
- Pin 20 is connected (supports 3.3 V)
- DisplayPort 1.2 specification
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Colour: black
- Dimensions (LxWxH): ca. 62 x 23 x 12 mm

## System requirements

- A free DisplayPort connector

## Package content



- Adapter

## General

Specification:	DisplayPort 1.2
----------------	-----------------

## Interface

Connector 1:	1 x DisplayPort male
Connector 2:	1 x DisplayPort female

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz 7680 x 4320 @ 30 Hz
----------------------------	--

## Physical characteristics

Housing colour:	black
Material:	Plastic
Length:	62 mm
Width:	23 mm
Height:	12 mm