

# Delock D-Sub 9 pin male to Terminal Block for DIN rail

### **Description**

This terminal block adapter by Delock can be used to connect wires with stripped ends.

#### **DIN rail mounting**

With the clips included in the delivery content, the adapter can be attached to a 15 mm or 35 mm wide DIN rail.



#### Item no. 66907

EAN: 4043619669073 Country of origin: China Package: White Box

# **Specification**

- Connectors:
  - 1 x D-Sub 9 pin male
  - 1 x 10 pin terminal block
- Pin assignment: 1:1
- Pitch: 5.00 mm
- Useable for a cable gauge from 24 to 12 AWG
- DIN rail mounting: 15 mm and 35 mm
- Operating temperature: -40 °C ~ 100 °C
- Dimensions (LxWxH): ca. 58 x 51 x 30 mm

### System requirements

- A free D-Sub 9 pin female
- 15 mm or 35 mm DIN rail

#### Package content

Adapter



- 2 x DIN rail clip
- 5 x screws

## **Images**









#### General

Mounting type: DIN rail mounting: 15 mm and 35 mm	Mounting type:
---	----------------

### Interface

Connector 1:	1 x D-Sub 9 pin male
Connector 2:	1 x 10 pin terminal block

### **Technical characteristics**

-40 °C ~ 100 °C Operating temperature:

# **Physical characteristics**

Pitch distance:	5.00 mm
Conductor gauge:	24 to 12 AWG
Length:	58 mm
Width:	51 mm
Height:	30 mm