

Delock M12 Cable D-coded 4 pin male to female PVC 1 m

Description

This industrial Ethernet cable by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



1 m

Item no. 80844

EAN: 4043619808441 Country of origin: China Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M12 male D-coded 4 pin
 - 1 x M12 female D-coded 4 pin
- Cat.5e specification
- S/FTP
- Shielding: aluminium foil, tinned copper braiding
- Copper conductor
- Cable gauge: 26 AWG (0.129 mm²)
- Cable diameter: ca. 5 mm
- Cable jacket material: PVC
- Rated current: 4 A / 60 V
- Operating temperature: -25 °C ~ 60 °C
- Protection class: IP67
- Colour: black
- · Length incl. connectors: ca. 1 m

Package content



• M12 cable

Images









General

| Specification: | Cat. 5e |
|----------------------|---------|
| Protection category: | IP67 |

Interface

| Connector 1: | 1 x M12 male D-coded 4 pin |
|--------------|------------------------------|
| Connector 2: | 1 x M12 female D-coded 4 pin |

Technical characteristics

| Operating temperature: | -25 °C ~ 60 °C |
|------------------------|----------------|
| Maximum current: | 4 A |
| Voltage: | 60 V |

Physical characteristics

| Conductor material: | copper |
|------------------------|--------|
| Conductor gauge: | 26 AWG |
| Shielding: | S/FTP |
| Length: | 1 m |
| Colour: | black |
| Cable diameter: | 5 mm |
| Cable jacket material: | PVC |