

# Delock Slot bracket 1 x 19 pin USB 3.0 pin header female internal > 2 x USB 3.0 Type-A female external

### Description

This slot bracket by Delock expands the PC by two USB 3.0 Type-A female ports. The cable of the slot bracket can be connected internally to the motherboard with a 19 pin USB 3.0 pin header. Thus the internal connection will be lead outside, in order to connect devices with USB Type-A connector to the computer.



Item no. 82963

EAN: 4043619829637 Country of origin: China Package: Zip poly bag

## **Specification**

Connector:

internal: 1 x 19 pin USB 3.0 pin header female

external: 2 x USB 3.0 Type-A female

• Pitch distance: 2.00 mm

Screw type: M3Cable gauge: 30 AWG data line 28 AWG power line

Cable diameter: ca. 4.8 mmData transfer rate up to 5 Gbps

Slot bracket: standardCable colour: blackCable length: ca. 60 cm

#### System requirements

· PC with one free slot



• Mainboard with a free 19 pin USB 3.0 pin header male

## **Package content**

Slot bracket

#### **Images**







## Interface

External:	2 x USB 5 Gbps Type-A female
Internal:	1 x 19 pin USB 5 Gbps pin header female

## **Technical characteristics**

Data transfer rate: 5 Gbps	
----------------------------	--

## **Physical characteristics**

Pitch distance:	2.00 mm
Cable colour:	black
Cable length:	60 cm
Conductor gauge:	30 AWG data line 28 AWG power line
Screw type:	M3
Slot bracket:	standard