

# Delock USB cable Type-C to DisplayPort (DP Alt Mode) 4K 60 Hz 2 m coaxial

## Description

This cable by Delock enables the connection of a DisplayPort monitor to a device with USB-C™ or Thunderbolt™ 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode. The coaxial cable is very flexible and easy to handle due to its small diameter.



**Item no. 83710**

EAN: 4043619837106

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x USB Type-C™ male >
  - 1 x DisplayPort 20 pin male
- Chipset: Atmel
- DisplayPort 1.2 specification
- Signal direction: USB Type-C™ input > DisplayPort output
- Cable type: coaxial
- Cable diameter: ca. 3.7 mm
- Metal housing
- Contacts gold-plated
- With nylon braid
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDCP 1.4
- USB bus powered
- Plug & Play
- Colour: black

- Length incl. connectors (L): ca. 2 m

---

## System requirements

- Android 6.0 or above
- Chrome OS
- Mac OS 10.12 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows 10 Mobile
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port



---

## Package content

- USB-C™ to DisplayPort cable

---

## Images



## General

Function:	Plug & Play
Cable finishing:	Nylon braid
Specification:	DisplayPort 1.2 HDCP 1.4
Supported operating system:	Android 6.0 or above Chrome OS Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Output:	1 x DisplayPort male
Input:	1 x USB Type-C™ male

## Technical characteristics

Chipset:	Atmel
Maximum screen resolution:	3840 x 2160 @ 60 Hz
Signal transmission:	video audio

## Physical characteristics

Housing material:	metal
Pin finishing:	gold-plated
Conductors:	coaxial
Length:	2 m
Colour:	black



