

# Delock Cable Twinax SFP+ male to SFP+ male 10 m

#### Description

This Twinax cable by Delock is used to connect devices to a switch with a SFP+ port or to connect two Ethernet switches.



Item no. 84219

EAN: 4043619842193 Country of origin: China Package: Antistatic cover

### Specification

- Connectors:
  2 x SFP+ male
- Passive, low power consumption
- Data transfer rate:
  Gigabit Ethernet up to 1 Gbps
  10 Gigabit Ethernet up to 10 Gbps
- Compatible with SFP+ MSA, SFF-8431, SFF-8432
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 24 AWG
- Colour: black
- Cable diameter: ca. 5.8 mm
- Cable length: ca. 10 m

### System requirements

• A free SFP+ interface

# Package content





• Twinax Cable





#### Interface

Connector 1:	1 x SFP+ male
Connector 2:	1 x SFP+ male

### **Technical characteristics**

Data transfer rate:	Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 10 Gbps
Operating temperature:	0 °C ~ 70 °C

## **Physical characteristics**

Conductor gauge:	24 AWG
Length:	10 m
Colour:	black