

## Delock Slot bracket SATA 6 Gb/s receptacle internal > SATA male pin 8 power external 30 cm

#### Description

With this slot bracket by Delock the SATA pin 8 power connector can be lead outside and e.g. a SATA DOM memory can be connected to the PC externally.

# Pin B power C

#### Item no. 84952

EAN: 4043619849529 Country of origin: China Package: Zip poly bag

#### Specification

- Connectors:
- 1 x SATA 6 Gb/s receptacle >
- 1 x SATA 6 Gb/s plug pin 8 power with latchtype
- E.g. for SATA DOM memories (e.g. for Delock item 54776)
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Voltage: 5 V
- Cable gauge: 30 AWG data line
- 24 AWG power line
- Cable diameter: ca. 5.8 mm
- Length without connectors: ca. 30 cm

#### System requirements

• A free SATA pin 8 power plug on the motherboard

#### Package content

- Standard slot bracket
- · Low profile slot bracket for exchange





#### Images





#### General

Specification:	SATA 6 Gb/s
Interface	
Connector 1:	1 x SATA 6 Gb/s 8 pin plug
Connector 2:	1 x SATA 6 Gb/s 8 pin receptacle

#### **Technical characteristics**

Data transfer rate:	6 Gb/s
Voltage:	5 V

### **Physical characteristics**

Conductor gauge:	30 AWG data line 24 AWG power line
Length:	30 cm