

Delock Adapter High Speed HDMI female > HDMI female panel-mount

Description

This adapter enables you to extend an HDMI connection and can be used to connect various devices. The female port can be attached with two screws, e.g. to a slot bracket, a cable duct or an enclosure with the corresponding opening. This can be used to install an HDMI connector on an easily accessible position.



Item no. 85125

EAN: 4043619851256

Country of origin: China

Package: Zip poly bag

Specification

- Connector:
HDMI-A 19 pin female >
HDMI-A 19 pin female with screw nuts for installation
- Screw type: #4-40 UNC
- Mounting hole ca. 18 x 7 mm, screw hole pitch ca. 25 mm
- Resolution up to 3840 x 2160 @ 30 Hz
(depending on the system and the connected hardware)
- High Speed HDMI specification
- Gold-plated connector
- Colour: black
- Dimensions (LxWxH): ca. 31.8 x 28.7 x 12 mm

System requirements

- A free HDMI port

Package content

- HDMI adapter panel-mount
- 2 screws

General

Specification:	High Speed HDMI
----------------	-----------------

Interface

Connector 1:	1 x HDMI-A 19 pin female panel mount
Connector 2:	1 x HDMI-A female

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 30 Hz
----------------------------	---------------------

Physical characteristics

Length:	31.8 mm
Width:	28.7 mm
Height:	12 mm
Colour:	black