


Delock Cable USB Type-C™ male > HDMI male (DP Alt Mode) 4K 60 Hz 2 m black

Description

This cable by Delock enables the connection of an HDMI monitor to a PC or laptop with USB-C™ or Thunderbolt™ 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode.



Item no. 85291

EAN: 4043619852918

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male
 - 1 x HDMI male
- Chipset: Parade PS176 + Cypress
- High Speed HDMI with Ethernet (HEC) specification
- Signal direction: USB Type-C™ input > HDMI output
- Resolution up to 3840 x 2160 @ 60 Hz
(depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDCP 1.4 and 2.2
- USB bus powered
- Plug & Play
- Connectors: gold-plated
- Colour: black
- Length without connectors: ca. 2 m

System requirements

- Mac OS 10.12 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode
or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-C™ to HDMI cable

Images



General

| | |
|-----------------------------|---|
| Function: | Plug & Play |
| Specification: | High Speed HDMI with Ethernet HDCP 1.4 HDCP 2.2 |
| Supported operating system: | Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11 |

Interface

| | |
|---------|----------------------|
| Output: | 1 x HDMI-A male |
| Input: | 1 x USB Type-C™ male |

Technical characteristics

| | |
|----------------------------|-------------------------|
| Chipset: | Cypress Parade PS176 |
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz |
| Signal transmission: | video audio |

Physical characteristics

| | |
|----------------|-------------|
| Cable length: | 2 m |
| Pin finishing: | gold-plated |
| Colour: | black |