

Delock Cable USB Type-C™ male > DVI 24+1 male (DP Alt Mode) 4K 30 Hz 2 m black

Description

This cable by Delock enables the connection of a DVI monitor to a PC or laptop with USB-C™ or Thunderbolt™ 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode.



Item no. 85321

EAN: 4043619853212

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male >
 - 1 x DVI 24+1 male with screws
- Chipset: Parade PS171 + Cypress
- DVI-D (Dual Link) 24+1 port with screws (VGA not wired)
- Signal direction: USB Type-C™ input > DVI output
- Resolution up to 3840 x 2160 @ 30 Hz
(depending on the system and the connected hardware)
- Supports HDCP 1.3
- USB bus powered
- Plug & Play
- Contacts gold-plated
- Colour: black
- Length without connectors: ca. 2 m

System requirements

- Linux Kernel 4.x or above
- Mac OS 10.12 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode
or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-C™ to DVI cable

Images



General

Function:	Plug & Play
Specification:	HDCP 1.3
Supported operating system:	Linux Kernel 4.x or above Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

Output:	1 x DVI-D 24+1 male
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	Cypress Parade PS171
Maximum screen resolution:	3840 x 2160 @ 30 Hz
Signal transmission:	video

Physical characteristics

Cable length:	2 m
Pin finishing:	gold-plated
Colour:	black