


# Delock Cable SATA 6 Gb/s 7 pin receptacle + Floppy 4 pin power receptacle > SATA 22 pin receptacle upwards angled metal 30 cm

## Description

This cable by Delock enables the connection of a device with 22 pin SATA interface over a free SATA 7 pin port and a free 4 pin Floppy power interface of the motherboard. The metal clips on the SATA receptacles ensure that the cable reliably clicks into place.



30 cm

**Item no. 85517**

EAN: 4043619855179

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x SATA 6 Gb/s 7 pin receptacle upwards angled +
  - 1 x Floppy 4 pin power female >
  - 1 x SATA 6 Gb/s 22 pin receptacle upwards angled
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Version with 4 power wires (yellow = 12 V, black = GND, red = 5 V)
- Voltage: 5 V + 12 V
- Cable gauge:
  - 26 AWG data line
  - 20 AWG power line
- With gold coloured metal clips
- Length incl. connectors: ca. 30 cm

## System requirements

- A free SATA 7 pin interface
- A free Floppy power plug

---

## Package content

- SATA cable

---

## Images



## General

Specification:	SATA 6 Gb/s
----------------	-------------

## Interface

Connector 1:	1 x SATA 6 Gb/s 7 pin receptacle
Connector 2:	1 x Floppy 4 pin power receptacle
connector 3:	1 x SATA 6 Gb/s 22 pin receptacle

## Technical characteristics

Data transfer rate:	6 Gb/s
Voltage:	5 V 12 V

## Physical characteristics

Conductor gauge:	26 AWG data line 20 AWG power line
Length:	30 cm