

# Delock Active Optical 5 in 1 HDMI Cable 8K 60 Hz 20 m

#### **Description**

This **HDMI cable** by Delock can be used to connect devices with an HDMI interface, such as televisions, Blu-ray players, monitors or projectors. By supporting a maximum bandwidth of **48 Gbps**, content can be displayed with resolutions of up to **8K Ultra HD** (7680 x 4320 @ 60 Hz).



This active optical cable uses optical fiber to transmit high-speed signals. Compared to traditional copper cable, it is **softer**, **thinner**, **lighter**, and can transmit signals over longer distances **without loss**.

#### 5 in 1 HDMI Cable

On the input side, there is a compact Micro HDMI port; the**included adapters** can be used to connect to a source with USB-C<sup>TM</sup>, DisplayPort, HDMI-A, or DVI and up to 3840 x 2160.



#### Item no. 86007

EAN: 4043619860074 Country of origin: China

Package: Box

## **Specification**

Connectors:

Input: 1 x HDMI Micro-D male Output: 1 x HDMI-A male

- Active optical cable: fiber / copper hybrid cable
- High Speed HDMI specification
- Fixed signal direction
- · Transmission of audio and video signals
- Data transfer rate up to 48 Gbps
- Maximum resolution (depending on the system and the connected hardware):

HDMI up to 7680 x 4320 @ 60 Hz

HDMI up to 3840 x 2160 @ 144 Hz

DisplayPort / USB Type-C™ up to 3840 x 2160 @ 60 Hz

DVI up to 3840 x 2160 @ 30 Hz

- Supports HDR (High Dynamic Range)
- Supports HDCP 1.4 and 2.2
- Cable diameter: ca. 5.4 mm
- · Contacts gold-plated



- · Colour: black
- Length incl. connectors: ca. 20 m

### **System requirements**

• A free HDMI interface

#### Package content

- HDMI cable
- Adapter HDMI-A male to HDMI Micro-D female
- Adapter DisplayPort male to HDMI Micro-D female
- Adapter USB Type-CTM male to HDMI Micro-D female
- Adapter DVI-D male to HDMI Micro-D female
- Screwdriver

### **Images**







#### General

### Interface

Connector 1:	1 x HDMI Micro D 19 pin male
Connector 2:	1 x HDMI-A male

### **Technical characteristics**

Maximum screen resolution:	7680 x 4320 @ 60 Hz
	3840 x 2160 @ 144 Hz

## **Physical characteristics**

Cable colour:	black
Cable length incl. connector:	20 m
Smallest bending radius:	20 mm