

Delock PCI Express Cable Mini SAS HD SFF-8673 to SFF-8673 0.5 m

Description

This PCIe cable by Delock can be used to connect **internal devices**, e.g. a backplane with Mini SAS HD SFF-8673 connector to a controller with Mini SAS HD SFF-8673 connector.

The Mini-SAS HD connector design is **PCI Express** compatible and can be utilized in PCI Express architecture applications, e.g. data centers, storage and high performance computing.



Item no. 86624

EAN: 4043619866243

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag


Specification

- Connectors:
1 x Mini SAS HD SFF-8673 male >
1 x Mini SAS HD SFF-8673 male
- Compatible to PCI Express V4.0
- Data transfer rate up to 64 Gbps
- Impedance: 85 Ohm
- Cable gauge: 30 AWG
- Length incl. connectors: ca. 0.5 m

Package content

- PCI Express Cable Mini SAS HD SFF-8673 to SFF-8673

Images



General

Specification:	PCI Express 4.0
----------------	-----------------

Interface

Connector 1:	1 x Mini SAS HD SFF-8673 male
Connector 2:	1 x Mini SAS HD SFF-8673 male

Technical characteristics

Data transfer rate:	up to 64 Gbps
---------------------	---------------

Physical characteristics

Length:	0,50 m
---------	--------