

# Delock 10 Gigabit PoE+ Injector 802.3at 30 W

### Description

This **Power over Ethernet** injector by Delock can supply power via a network cable to a PoE-enabled device, such as an IP camera or a PoE splitter. The injector is connected between the network switch and the PoE device (PD) and provides the device with up to **30 watts** of power and 10 Gbps Ethernet. The compact size and integrated wall mounting enable space-saving installation.



#### Item no. 87766

EAN: 4043619877669 Country of origin: China Package: White Box

## Specification

- Connectors:
  - 1 x RJ45 jack
  - 1 x RJ45 jack PoE
  - 1 x IEC C14 connector
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.6 A
- Output: DC 52 V / 0.58 A (30 W)
- Data transfer rate: Ethernet up to 10 Mbps
  Fast Ethernet up to 100 Mbps
  Gigabit Ethernet up to 1 Gbps
  NBASE-T with up to 2.5 Gbps and 5 Gbps
  10 Gigabit Ethernet up to 10 Gbps
- LED indicator for power and PoE
- Supports IEEE 802.3af PoE
- Supports IEEE 802.3at PoE+
- Phantom power (Mode A, pairs 1/2 and 3/6)
- Overload protection
- Short circuit protection
- Wall mounting integrated in the housing
- Stackable

#### **DATASHEET**



• Dimensions (LxWxH): ca. 145 x 61 x 39 mm

#### System requirements

• Device with one free RJ45 port

#### Package content

- PoE injector
- Power cord
- User manual

#### Images







#### Interface

| Output: | 1 x RJ45 female (PoE) |
|---------|-----------------------|
| Input:  | 1 x RJ45 jack         |

#### **Technical characteristics**

| Data transfer rate: | Ethernet up to 10 Mbps         |
|---------------------|--------------------------------|
|                     | Fast Ethernet up to 100 Mbps   |
|                     | Gigabit Ethernet up to 1 Gbps  |
|                     | Gigabit Ethernet up to 10 Gbps |

# **Physical characteristics**

| Housing colour:   | black   |
|-------------------|---------|
| Housing material: | Plastic |
| Length:           | 145 mm  |
| Width:            | 61 mm   |
| Height:           | 39 mm   |