

Delock USB Type-C™ Splitter (DP Alt Mode) > 1 x HDMI + 1 x VGA out

Description

This splitter by Delock is suitable for the connection of a VGA monitor and an HDMI monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Two monitors can be operated simultaneously at the outputs, the same image is displayed on all ports.



Item no. 87776

EAN: 4043619877768

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - Input:
 - 1 x USB Type-C™ male
 - Output:
 - 1 x HDMI-A 19 pin female
 - 1 x VGA 15 pin female
- VGA port with nuts
- DisplayPort 1.2 specification
- Resolution:
 - HDMI up to 3840 x 2160 @ 60 Hz
 - VGA up to 1920 x 1080 @ 60 Hz
 - (depending on the system and the connected hardware)
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Function: Mirrored
- USB bus powered
- Cable length incl. connectors: ca. 20 cm
- Dimensions (LxWxH): ca. 65 x 46 x 14 mm

System requirements

- Windows 8.1/8.1-64/10/10-64
- Linux Kernel 5.4 or above
- Mac OS 10.15.6 or above
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-C™ Splitter (DP Alt Mode)
- User manual

Images



General

| | |
|-----------------------------|---|
| Specification: | DisplayPort 1.2 USB Type-C™ |
| Supported operating system: | Mac OS 10.15.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |

Interface

| | |
|---------|--|
| Output: | 1 x HDMI-A female 1 x VGA 15 pin female |
| Input: | 1 x USB Type-C™ male |

Technical characteristics

| | |
|----------------------------|--|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz 1920 x 1080 @ 60 Hz |
|----------------------------|--|

Physical characteristics

| | |
|-------------------------------|--------|
| Housing colour: | silver |
| Housing material: | metal |
| Cable length incl. connector: | 20 cm |
| Length: | 65 mm |
| Width: | 46 mm |
| Height: | 14 mm |