

Delock Fiber Optic Distribution Box for indoor and outdoor IP55 waterproof lockable 6 port grey

Description

This lockable distribution box by Delock can be used for wall mounting and serves as a protective housing for optical cables and couplings. The distribution box can accommodate up to six SC Duplex or LC Quad couplings.

With splice cassette

The integrated splice tray enables clean routing of the individual fibers for optimal transmission of lightwave signals. In addition, the cassette is perfect for mechanical splicing and fusion splicing.

With cable glands - IP55 dust and waterproof

The distribution box has two PG21 cable glands with multiple sealing inserts and one PG13.5 cable gland with one sealing insert. The seals provide increased protection against dirt and moisture for the connection of fiber optic cables indoor and outdoor.



Item no. 87900

EAN: 4043619879007

Country of origin: China

Package: White Box

Specification

- Fiber optic distribution box for FTTH applications
- 6 slots for SC Duplex or LC Quad couplings
- Wall mounting
- Lockable
- With splice cassette
- 1 x PG13.5 cable gland with one sealing insert for 6 - 12 mm cable diameter
- 2 x PG21 cable gland with 12 multiple sealing inserts for 2 mm cable diameter
- Suitable for indoor and outdoor use
- Protection class: IP55
- Environmental temperature: -40 °C ~ 75 °C
- Housing colour: grey
- Housing material: ABS
- Dimensions (LxWxH): ca. 269 x 193 x 60 mm

Package content

- Fiber optic distribution box
- 2 x keys
- Mounting material
- 2 x plastic tube

Images



General

Mounting type:	Wall mounting
----------------	---------------

Technical characteristics

Storage temperature:	-40 °C ~ 75 °C
----------------------	----------------

Physical characteristics

Housing colour:	grey
Housing material:	ABS
Length:	269 mm