

Delock PCI Express x16 Card to 4 x internal SFF-8654 4i NVMe - Bifurcation

Description

This PCI Express card by Delock expands the PC by four SFF-8654 interfaces. **SSDs with e.g. U.2 interface** can be connected to these ports by using an optional cable. The card transmits PCI Express signals using the NVMe protocol.

PCIe Bifurcation

The card requires the **PCle bifurcation** of the motherboard to split the PCle signal in order to use multiple ports.

Note

Without PCIe bifurcation only the first SFF-8654 port of the card can be used.



Item no. 89030

EAN: 4043619890309 Country of origin: Taiwan, Republic of China

Package: White Box

Specification

- IOI item number: QIP4X-PCIE16XB03
- · Connectors:

internal:

4 x 38 pin SFF-8654 4i female

1 x PCI Express x16, V4.0

- Supports NVM Express (NVMe)
- 1 x LED indicator
- Bootable

System requirements

- Linux Kernel 3.16 or above
- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express x16 / x32 slot
- Motherboard and BIOS with PCIe bifurcation support




Package content

• PCI Express card

Images









General

Supported operating system:	Linux Kernel 3.16 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	1 x

Interface

Connector 1:	4 x 38 pin SFF-8654 4i female
Connector 2:	1 x PCI Express x16, V4.0