

Delock Antenna Cable RP-SMA Jack bulkhead > open end tinned (RG-405 semi flexible, 10 cm) low loss

Description

The coaxial antenna cable by Delock enables the connection of devices of radio frequency technology. It is characterized by very low attenuation at high frequencies and the extended temperature range.



ca. 10 cm

Item no. 89522

EAN: 4043619895229

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x RP-SMA jack bulkhead
 - 1 x open end tinned
- Contacts: gold-plated
- Impedance: 50 Ohm
- Operating temperature: -40 °C ~ 165 °C
- Cable category: coaxial
- Cable type: RG-405 semi flexible
- Cable colour: blue
- Cable attenuation: 2.49 dB @ 10 GHz per meter
- Cable diameter: ca. 2.6 mm
- Cable length incl. connector: ca. 10 cm

System requirements

- Device with a free RP-SMA plug

Package content



- Antenna cable

Interface

Connector 1:	1 x RP-SMA jack bulkhead
Connector 2:	1 x open end tinned

Technical characteristics

Impedance:	50 Ω
------------	-------------

Physical characteristics

Cable category:	coaxial
Cable type:	RG-405 semi flexible
Cable attenuation:	2.49 dB @ 10 GHz per meter
Cable colour:	blue
Cable length incl. connector:	10 cm
Pin finishing:	gold-plated
Smallest bending radius:	6 mm once 25 mm multiple times