

Delock Adapter SMC jack > SMC plug > SMA jack T-Shape

Description

This adapter by Delock is suitable for connecting components of radio frequency technology.



Item no. 89629

EAN: 4043619896295 Country of origin: China Package: Zip poly bag

Specification

- Connectors:
 - 1 x SMC jack
 - 1 x SMC plug
 - 1 x SMA jack
- · Housing material: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC 6 GHz
- VSWR: 1.45 / 1 GHz
- Operating temperature: -55 °C ~ 155 °C
- Dimensions (LxWxH): ca. 22 x 6.5 x 13.6 mm

System requirements


· Device with a free SMC port

Package content



• RF Adapter

Images







Interface

| Connector 1: | 1 x SMC jack |
|--------------|--------------|
| Connector 2: | 1 x SMC plug |
| connector 3: | 1 x SMA jack |

Technical characteristics

| Frequency range: | DC - 6 GHz |
|------------------------|-----------------|
| Impedance: | 50 Ω |
| Operating temperature: | -55 °C ~ 155 °C |
| VSWR: | 1.45 / 1 GHz |

Physical characteristics

| Housing material: | brass gold plated |
|-------------------|-------------------|
| Length: | 22 mm |
| Width: | 6.5 mm |
| Height: | 13.6 mm |