
Delock 4 port SATA PCI Express x1 Card - Low Profile Form Factor

Description

The PCI Express card by Delock expands a PC by **four internal SATA ports**. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.



Item no. 90010

EAN: 4043619900107

Country of origin: China

Package: Retail Box

Specification

- Connectors:
  internal:
  4 x SATA 6 Gb/s 7 pin plug
  1 x PCI Express x1, V3.0
- Chipset: Asmedia ASM1064
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Supports SATA Port Multiplier
- Hot Plug
- Bootable
- 5 x LED indicator

System requirements

- Linux Kernel 5.4 or above

© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.


- Windows 8.1/8.1-64/10/10-64/11
- PC with one free PCI Express slot

Package content

- PCI Express card
- Low profile bracket
- User manual

Images







© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

General

Function:	bootable
Supported operating system:	Linux Kernel 5.4 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

Internal:	1 x PCI Express x1, V3.0 4 x SATA 6 Gb/s 7 pin plug

Technical characteristics

Chipset:	Asmedia ASM1064

Physical characteristics

Slot bracket:	Low Profile standard

© 2024 by Tragant. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.